

SIMERO[®]
CERAMICS



1200x1800mm

An influence that
sets your space apart.



Blending a soulful feel with a few hints of liveliness is a crucial task, and through our dynamic designs, we have ensured that this soothing feel is elevated and shaped into your space in a concrete form.





Setting rituals of
impact through traces
that promise to
preserve the poise of
exemplary elements.

SIMERO
CERAMICS



INTRODUCTION

An ode to generations of material experimentation, these pieces cultivate a versatile and dynamic combination that adds a rich edge to every corner.

Conveying taste and sensibilities, these pieces cater to a versatile palette of preferences, promising a seamless touch to your vision board.

And to further this philosophy, we have given it an upbeat touch to cater to contemporary architectural trends that redefine how your space looks, feels, and engages.



Easy to clean



Frostproof



Hygienic Surfaces




Resistant to Abrasion



Easy to install



Holds against Loading Stress



Resistant to Thermal Shocks



Colorfast Technology




Resistant to High Temperatures



Doesn't release VOC (Volatile Organic Compounds)



Resistant to SMOG & Pollutants



Suitable for Heated Floors



Free from Plastic, Asbestos, and Formaldehyde



Resistant to Household & Industrial Chemicals



Fire Resistant, Free form Toxic Gas Emission



Resistant to Moisture

Turn every day into a blissful one, through pieces that embrace life in vivid ways and show how versatile each elemental day can be.



Features that are practical and inexpensive go a long way. These ensure that your days remain hassle-free and comfortable without causing a pile of troubles.

And our range of practical features exhibits how each piece is a thoughtful delivery of pragmatic concepts that feel bold in design and subtle in application.

Experience cozy comfort with our tiles, your door to trouble-free everyday living. At Simero, we make sure that comfort stays the priority in your space and beyond, with every touch.



Splendor Beauty

1200x1800mm

AURA




Filito Beige



Almora Beige



Oro Bianco



Cartina Grey



Aspero Terra

CEMENTA



CEMENTA Bone



CEMENTA Ash



CEMENTA Bianco



CEMENTA Slate

DIAMOND 2.0




Diamond Crema



Diamond Buff



Diamond Smoke



Diamond Gris

FEEL



Calacatta



Michel Angelo



Quartzito Bianco




Zenith Crown




Golden Threads



River Ice



Onice



Onyx Glow



Arena Crema



Embrace



Loxe Ivory



Loxe Tan

1200x1800mm

FEEL



Maxila Beige Stravia Amalfi Bianco Amalfi Grey Sahara Taupe Trella Grey

LUX CARVING



Aurelia Bianco Aurex Grey Michel Angelo Nuvo Onyx Grey

LUX



Statuario Cara Vista White Calacatta Solenne White Olimpiya Beige Sahara Beige




Quiri White Carmello Beige Aurelia Vein Belmonte Grey Marfil Gris Trevano Grey

MATT



Carbonex Elegance Black Imperial Bianco Imperial Grey Imperial Beige

HIGH GLOSS



Olimpiya Elegance Black Nairobi Blue

SUPER WHITE
POLISHED




Statuario Cara Sub Lime Dolomiti Calacatta Persian White

POLISHED



Tuscan White Classic Carrara Michel Angelo Morroco Onyx Bianco Quiri White



Zenith White Golden Threads Antico Crema Crema Lucente Olimpiya Beige Sahara Beige



Egeo Beige Carboline Taupe Chiffon Grey Limar Grey Nuvo Onyx Grey Armani Grey

1200x1800mm

FOREVER



Forever
Avorio



Forever
Olive




Forever
White



Forever
Bianco




Forever
Grigio



Forever
Nero


NEUTRA




Cold
Grey



Warm
Grey



Dark
Taupe



Espresso

PRO MATT



Tuscan
White




Classic
Carrara




Blush
Onyx



Zenith
White



Marbella
Glow



Quartzito
Bianco




Serenio
Beige



Crema
Lucente



Maize
Beige



Sintetico
Gleam




Sicilia
Taupe



Pulpish
Mushroom



Pulpish
Mushroom
Light Grey



Desert
Stone Brown



Desert
Stone Silver

PRO MATT CARVING



Matarazzo



Aurum
Crema



Zenith
White



Golden
Threads




Casacde
Bianco



Imperial
Travertino Bianco




Perlino
Beige



Perlino
Gris



Carboline
Taupe



Sintetico
Gleam



Stellar
Terrazzo



Feel the ample possibilities come to life in the 1200x1800mm format, which balances beauty with practicality.

Enrich your space with an eternal charm that stamps itself in your memories, and elevates it further with rich designs and

a zealous feel that promise a look of distinction in your space.

1200x
1800mm



Create a trance of tangible expressions that push your space into a zen of resilience through their tactile and timeless approaches.

FILITO BEIGE



Surfaces - Lux, Polished
Endless Faces - 3

ORO BIANCO



Surfaces - Lux, Polished
Endless Faces - 3

ASPERO TERRA



Surfaces - Lux, Polished
Endless Faces - 3

ALMORA BEIGE



Surfaces - Lux, Polished
Endless Faces - 3

CARTINA GREY



Surfaces - Lux, Polished
Endless Faces - 3

1200x1800mm
AURA



■ Wall \ Almora Beige 600x1200mm ■ Floor \ Almora Beige 1200x1800mm


CEMENTA BONE



Surface - Pro Matt

Faces - 3


CEMENTA ASH



Surface - Pro Matt

Faces - 3

CEMENTA BIANCO



Surface - Pro Matt

Faces - 3

CEMENTA SLATE



Surface - Pro Matt

Faces - 3

DIAMOND CREMA



Surface - Lux

Faces - 3


DIAMOND BUFF



Surface - Lux

Faces - 3

DIAMOND SMOKE



Surface - Lux

Faces - 3

DIAMOND GRIS



Surface - Lux

Faces - 3

1200x1800mm

CEMENTA

1200x1800mm

DIAMOND 2.0

CALACATTA



Surface - Feel

Endless Faces - 4

MICHEL ANGELO



Surface - Feel

Endless Faces - 3

GOLDEN THREADS



Surface - Feel

Endless Faces - 3

RIVER ICE



Surface - Feel

Endless Faces - 3

QUARTZITO BIANCO



Surface - Feel

Endless Faces - 3

ZENITH CROWN



Surface - Feel

Endless Faces - 3

ONICE



Surface - Feel

Endless Faces - 3

ONYX GLOW



Surface - Feel

Endless Faces - 3

ARENA CREMA



Surface - Feel

Endless Faces - 3

EMBRACE



Surface - Feel

Endless Faces - 3

MAXILA BEIGE



Surface - Feel

Endless Faces - 3

STRAVIA



Surface - Feel

Endless Faces - 3

LOXE IVORY



Surface - Feel

Endless Faces - 3

LOXE TAN



Surface - Feel

Endless Faces - 3

1200x1800mm
FEEL



■ Wall \ Maxila Beige
1200x1800mm

■ Floor \ Maxila Beige
1200x1800mm

AMALFI BIANCO



Surface - Feel

Endless Faces - 3

AMALFI GREY



Surface - Feel

Endless Faces - 3

AURELIA BIANCO



Surface - Lux Carving

Endless Faces - 3

AUREX GREY



Surface - Lux Carving

Endless Faces - 3

SAHARA TAUPE



Surface - Feel

Endless Faces - 3

TRELLA GREY



Surface - Feel

Endless Faces - 3

MICHEL ANGELO



Surface - Lux Carving

Endless Faces - 3

NUVO ONYX GREY



Surface - Lux Carving

Endless Faces - 3

1200x1800mm
FEEL

1200x1800mm
LUX CARVING


STATUARIO CARA



Surface - Lux

Faces - 5

VISTA WHITE



Surface - Lux

Endless Faces - 3

CALACATTA



Surface - Lux

Endless Faces - 4

SOLENNE WHITE



Surface - Lux

Endless Faces - 3

1200x1800mm
LUX

OLMPIYA BEIGE



Surface - Lux

Endless Faces - 3

SAHARA BEIGE



Surface - Lux

Endless Faces - 3



■ Floor \ OLMPIYA BEIGE
1200x1800mm

QUIRI WHITE



Surface - Lux

Endless Faces - 3

CARMELLO BEIGE



Surface - Lux

Endless Faces - 3

MARFIL GRIS



Surface - Lux

Endless Faces - 3

TREVANO GREY



Surface - Lux

Endless Faces - 3

AURELIA VEIN



Surface - Lux

Endless Faces - 3


BELMONTE GREY



Surface - Lux

Endless Faces - 3


CARBONEX



Surface - Lux

Endless Faces - 3


ELEGANCE BLACK



Surface - Lux

Endless Faces - 3

IMPERIAL BIANCO



Surface - Matt

Endless Faces - 3


IMPERIAL GREY



Surface - Matt

Endless Faces - 3

IMPERIAL BEIGE



Surface - Matt

Endless Faces - 3

1200x1800mm
MATT


OLMPIYA



Surface - High Gloss

Endless Faces - 3

ELEGANCE BLACK



Surface - High Gloss

Endless Faces - 3

NAIROBI BLUE



Surface - High Gloss

Endless Faces - 3

1200x1800mm
HIGH GLOSS

STATUARIO CARA



Surface - Super White Polished

Faces - 5

SUB LIME



Surface - Super White Polished

Endless Faces - 3

CALACATTA



Surface - Super White Polished

Endless Faces - 4

PERSIAN WHITE



Surface - Super White Polished

Endless Faces - 4

DOLOMITI



Surface - Super White Polished

Endless Faces - 3

1200x1800mm
SUPER WHITE POLISHED



Wall \ Calacatta
1200x1800mm

Floor \ Calacatta
1200x1800mm

TUSCAN WHITE



Surface - Polished

Endless Faces - 3

CLASSIC CARRARA



Surface - Polished

Endless Faces - 3

ONYX BIANCO



Surface - Polished

Endless Faces - 3

QUIRI WHITE



Surface - Polished

Endless Faces - 3

MICHEL ANGELO



Surface - Polished

Endless Faces - 3

MORROCO



Surface - Polished

Endless Faces - 3

ZENITH WHITE



Surface - Polished

Endless Faces - 3

GOLDEN THREADS



Surface - Polished

Endless Faces - 3

1200x1800mm
POLISHED

ANTICO CREMA



Surface - Polished

Endless Faces - 3

CREMA LUCENTE



Surface - Polished

Endless Faces - 3

EGEO BEIGE



Surface - Polished

Endless Faces - 3

CARBOLINE TAUPE



Surface - Polished

Endless Faces - 3

OLMPIYA BEIGE



Surface - Polished

Endless Faces - 3

SAHARA BEIGE



Surface - Polished

Endless Faces - 3

1200x1800mm
POLISHED



■ Floor \ Egeo Beige
1200x1800mm

CHIFFON GREY



Surface - Polished

Endless Faces - 3

NUVO ONYX GREY



Surface - Polished

Endless Faces - 3

LIMAR GREY



Surface - Polished

Endless Faces - 3

ARMANI GREY



Surface - Polished

Endless Faces - 3

1200x1800mm
POLISHED



■ Floor \ Chiffon Grey
1200x1800mm

FOREVER AVORIO



Surface - Grano

Faces - 3


FOREVER OLIVE



Surface - Grano

Faces - 3

FOREVER GRIGIO



Surface - Grano

Faces - 3


FOREVER NERO



Surface - Grano

Faces - 3

FOREVER WHITE



Surface - Grano

Faces - 3

FOREVER BIANCO



Surface - Grano


Faces - 3

1200x1800mm
FOREVER



■ Floor \ Forever Nero
1200x1800mm

COLD GREY



Surface - Grano
Endless Faces - 3

DARK TAUPE



Surface - Grano
Endless Faces - 3

1200x1800mm
NEUTRA

WARM GREY



Surface - Grano
Endless Faces - 3

EXPRESSO



Surface - Grano
Endless Faces - 3



■ Floor \ Cold Grey
1200x1800mm

TUSCAN WHITE



Surface - Pro Matt

Endless Faces - 3


CLASSIC CARRARA



Surface - Pro Matt

Endless Faces - 3

MARBELLA GLOW



Surface - Pro Matt

Endless Faces - 3

QUARTZITO BIANCO



Surface - Pro Matt

Endless Faces - 3

BLUSH ONYX



Surface - Pro Matt

Endless Faces - 3

ZENITH WHITE



Surface - Pro Matt

Endless Faces - 3

SERENO BEIGE



Surface - Pro Matt

Endless Faces - 3

CREMA LUCENTE



Surface - Pro Matt

Endless Faces - 3

1200x1800mm
PRO MATT

MAIZE BEIGE



Surface - Pro Matt

Endless Faces - 3

SINTETICO GLEAM



Surface - Pro Matt

Endless Faces - 3

PULPISH MUSHROOM



Surface - Pro Matt

Endless Faces - 3

PULPISH MUSHROOM LIGHT GREY



Surface - Pro Matt

Endless Faces - 3

SICILIA TAUPE



Surface - Pro Matt

Endless Faces - 3

DESERT STONE BROWN



Surface - Pro Matt

Endless Faces - 3

DESERT STONE SILVER



Surface - Pro Matt

Endless Faces - 3

1200x1800mm
PRO MATT

MATARAZZO



Surface - Pro Matt Carving
Endless Faces - 3

AURUM CREMA



Surface - Pro Matt Carving
Faces - 3

ZENITH WHITE



Surface - Pro Matt Carving
Endless Faces - 3

GOLDEN THREADS



Surface - Pro Matt Carving
Endless Faces - 3

1200x1800mm
PRO MATT CARVING



■ Floor \ Golden Threads
1200x1800mm

CASACDE BIANCO



Surface - Pro Matt Carving

Faces - 3

IMPERIAL TRAVERTINO BIANCO



Surface - Pro Matt Carving

Faces - 3

CARBOLINE TAUPE



Surface - Pro Matt Carving

Endless Faces - 3

SINTETICO GLEAM



Surface - Pro Matt Carving

Endless Faces - 3

PERLINO BEIGE



Surface - Pro Matt Carving

Endless Faces - 3

PERLINO GRIS



Surface - Pro Matt Carving

Endless Faces - 3

STELLAR TERRAZZO



Surface - Pro Matt Carving

Faces - 3

1200x1800mm
PRO MATT CARVING

Technical Specifications

Characteristic	International Std. ISO 13006 Group Bla	Specifications of SIMERO	Method of Testing
Dimensions & Surface Quality			
Length	± 0.30%	± 0.10%	ISO 10545-2
Thickness	± 5.00%	± 5.00%	ISO 10545-2
Straightness of Sides	± 0.30%	± 0.10%	ISO 10545-2
Rectangularity	± 0.30%	± 0.10%	ISO 10545-2
Surface Flatness	± 0.40%	± 0.10%	ISO 10545-2
Glossiness	Declared By Manufacturer	PGVT: 92-100%, GVT:10-30%	ISO 2813 (Gloss meter)
Surface Quality	Min. 95% Tiles Should Be Free From Defects	Min. 95% Tiles Free From Defects	ISO 10545-2
Physical Characteristics			
Water Absorption	E ≤ 0.50%	≤ 0.08%	ISO 10545-3
Mohs Hardness	≥ 5.00	≥ 5.00	IS 13630-13
Moisture Expansion	Nil	Nil	ISO 10545-10
Abrasion Resistance	Declared By Manufacturer	PEI 3~5 (Depend On Product)	ISO 10545-7
Mechanical Characteristics			
Flexural Strength (MOR)	≥ 35 N/mm ² (350kg./cm ²)	≥ 38 N/mm ² (380kg./cm ²) Test Piece Size 600x600mm	ISO 10545-4
Breaking Strength	1300 Newton	1800 Newton Test Piece Size 600x600mm	ISO 10545-4
Impact Resistance	Declared By Manufacturer	No Indentation or Cracking	ISO 10545-5
Safety Characteristics			
Skid Resistance (Dynamic Friction Coefficient)	≥ 0.40	≥ 0.40	ISO 10545-17
Density	≥ 2.0 gm/cc	> 2.3 gm/cc	DIN 51082
Thermo Photo Characteristics			
Thermal Shock Resistance	Resistant To 10 Cycles	Pass. Min. 10 Cycles	ISO 10545-9
Crazing Resistance	In conformity with the Norms	Pass. Min. 4 Cycles at 7.5 kg/cm ² /168o C	ISO 10545-11
Frost Resistance	Frost Proof	Need to Comply with the Standard	ISO 10545-12
Coefficient of Linear Thermal Expansion	9x10 ⁻⁶ K ⁻¹	< 5.86x10 ⁻⁶ K ⁻¹	ISO 10545-8
Color Resistance to UV light	Resistant	Resistant	ISO 10545-16
Chemical Characteristics			
Chemical Resistance Household Chemicals & Swimming Pool Salts	Min. Class - GB	Confirms to the Class - GA	ISO 10545-13
Chemical Resistance Low Concentrations Acids & Alkalis	Min. Class - GLB	Confirms to the Class - GLA	ISO 10545-13
Chemical Resistance High Concentrations Acids & Alkalis	Min. Class - GHB	Confirms to the Class - GHA	ISO 10545-13
Stain Resistance	Min. Class - 3	Min. Confirmation to Class - 3	ISO 10545-14

Packing Details

Product	Sizes	Thickness	Pieces / Box	Coverage Area / Box	Weight / Box (Approx)
GVT PGVT Matt, High Gloss & Glossy	1200x1800mm	9mm	2 pcs	4.32 sq. m.	90 kg.

Technical Specifications

Characteristic	International Std. ISO 13006 Group Bla	Specifications of SIMERO	Method of Testing
Dimensions & Surface Quality			
Length	± 0.30%	± 0.10%	ISO 10545-2
Thickness	± 5.00%	± 5.00%	ISO 10545-2
Straightness of Sides	± 0.30%	± 0.10%	ISO 10545-2
Rectangularity	± 0.30%	± 0.10%	ISO 10545-2
Surface Flatness	± 0.40%	± 0.10%	ISO 10545-2
Glossiness	Declared By Manufacturer	8~15%	ISO 2813 (Gloss meter)
Surface Quality	Min. 95% Tiles Should Be Free From Defects	Min. 95% Tiles Free From Defects	ISO 10545-2
Physical Characteristics			
Water Absorption	E ≤ 0.50%	≤ 0.08%	ISO 10545-3
Mohs Hardness	≥ 5.00	≥ 5.00	IS 13630-13
Moisture Expansion	Nil	Nil	ISO 10545-10
Abrasion Resistance	Declared By Manufacturer	PEI 4	ISO 10545-7
Mechanical Characteristics			
Flexural Strength (MOR)	≥ 35 N/mm ² (350kg./cm ²)	≥ 38 N/mm ² (380kg./cm ²) Test Piece Size 600x600mm	ISO 10545-4
Breaking Strength	1300 Newton	1800 Newton Test Piece Size 600x600mm	ISO 10545-4
Impact Resistance	Declared By Manufacturer	No Indentation or Cracking	ISO 10545-5
Safety Characteristics			
Skid Resistance (Dynamic Friction Coefficient)	≥ 0.40	≥ 0.45	ISO 10545-17
Density	≥ 2.0 gm/cc	> 2.3 gm/cc	DIN 51082
Thermo Photo Characteristics			
Thermal Shock Resistance	Resistant To 10 Cycles	Pass. Min. 10 Cycles	ISO 10545-9
Frost Resistance	Frost Proof	Need to Comply with the Standard	ISO 10545-12
Coefficient of Linear Thermal Expansion	9x10 ⁻⁶ K ⁻¹	< 5.86x10 ⁻⁶ K ⁻¹	ISO 10545-8
Color Resistance to UV light	Resistant	Resistant	ISO 10545-16
Chemical Characteristics			
Chemical Resistance Household Chemicals & Swimming Pool Salts	Min. Class - GB	Confirms to the Class - GA	ISO 10545-13
Chemical Resistance Low Concentrations Acids & Alkalis	Min. Class - GLB	Confirms to the Class - GLA	ISO 10545-13
Chemical Resistance High Concentrations Acids & Alkalis	Min. Class - GHB	Confirms to the Class - GHA	ISO 10545-13
Stain Resistance	Min. Class - 3	Min. Confirmation to Class - 3	ISO 10545-14

Packing Details

Product	Sizes	Thickness	Pieces / Box	Coverage Area / Box	Weight / Box (Approx)
Forever CHROMATIC	1200x1800mm	9mm	2 pcs	4.32 sq. m.	90 kg.

Technical Specifications

Characteristic	International Std. ISO 13006 Group Bla	Specifications of SIMERO	Method of Testing
Dimensions & Surface Quality			
Length	± 0.30%	± 0.10%	ISO 10545-2
Thickness	± 5.00%	± 5.00%	ISO 10545-2
Straightness of Sides	± 0.30%	± 0.10%	ISO 10545-2
Rectangularity	± 0.30%	± 0.10%	ISO 10545-2
Surface Flatness	± 0.40%	± 0.10%	ISO 10545-2
Glossiness	Declared By Manufacturer	12~18%	ISO 2813 (Gloss meter)
Surface Quality	Min. 95% Tiles Should Be Free From Defects	Min. 95% Tiles Free From Defects	ISO 10545-2
Physical Characteristics			
Water Absorption	E ≤ 0.50%	≤ 0.08%	ISO 10545-3
Mohs Hardness	≥ 5.00	≥ 5.00	IS 13630-13
Moisture Expansion	Nil	Nil	ISO 10545-10
Abrasion Resistance	Declared By Manufacturer	PEI 4	ISO 10545-7
Mechanical Characteristics			
Flexural Strength (MOR)	≥ 35 N/mm ² (350kg./cm ²)	≥ 38 N/mm ² (380kg./cm ²) Test Piece Size 600x600mm	ISO 10545-4
Breaking Strength	1300 Newton	1800 Newton Test Piece Size 600x600mm	ISO 10545-4
Impact Resistance	Declared By Manufacturer	No Indentation or Cracking	ISO 10545-5
Safety Characteristics			
Skid Resistance (Dynamic Friction Coefficient)	≥ 0.40	≥ 0.45	ISO 10545-17
Density	≥ 2.0 gm/cc	> 2.3 gm/cc	DIN 51082
Thermo Photo Characteristics			
Thermal Shock Resistance	Resistant To 10 Cycles	Pass. Min. 10 Cycles	ISO 10545-9
Frost Resistance	Frost Proof	Need to Comply with the Standard	ISO 10545-12
Coefficient of Linear Thermal Expansion	9x10 ⁻⁶ K ⁻¹	< 5.86x10 ⁻⁶ K ⁻¹	ISO 10545-8
Color Resistance to UV light	Resistant	Resistant	ISO 10545-16
Chemical Characteristics			
Chemical Resistance Household Chemicals & Swimming Pool Salts	Min. Class - GB	Confirms to the Class - GA	ISO 10545-13
Chemical Resistance Low Concentrations Acids & Alkalis	Min. Class - GLB	Confirms to the Class - GLA	ISO 10545-13
Chemical Resistance High Concentrations Acids & Alkalis	Min. Class - GHB	Confirms to the Class - GHA	ISO 10545-13
Stain Resistance	Min. Class - 3	Min. Confirmation to Class - 3	ISO 10545-14

Packing Details


Product	Sizes	Thickness	Pieces / Box	Coverage Area / Box	Weight / Box (Approx)
   	1200x1800mm	9mm	2 pcs	4.32 sq. m.	90 kg.



We Recycle
Materials Annually
9000 MT



Reduce Carbon(CO₂)
Emissions Annually
2380 MT



Powered By
Solar Energy

संरक्ष प्रकृति जीवनाय



SUSTAINABILITY IS NECESSITY NOT LUXURY

That's why every tile we create follows a sustainable approach. As a Green Certified company, we take responsibility for the environment seriously. From eco-conscious manufacturing processes to energy-efficient production methods, everything we do is designed to reduce impact and preserve nature.




-50%
Less Water Uses



-25%
Less Energy Consumption

Certificates

That showcase our
passion for quality,
effortlessly!



SIMERO
CERAMICS



We have been applauded for our
exceptional quality by international
experts and have gained trust for our
products. Experience such a dedication
for excellence with us!

www.simero.in
Customer Care No.: +91 814 12 12 000



Head Office:
Behind Indian Oil Petrol Pump,
Morbi-Halwad Road, State Highway No. 22,
Nichi-Mandal, Morbi - 363 641, Gujarat, INDIA.